JOURNAL OF FORMALIZED MATHEMATICS
Volume Addenda, Released 1989, Published 2003
Inst. of Computer Science, Univ. of Białystok

Strong Arithmetic of Real Numbers

Andrzej Trybulec
Warsaw University
Białystok

Summary. This abstract contains the second part of the axiomatics of the Mizar system (the first part is in abstract [4]). The axioms listed here characterize the Mizar built-in concepts that are automatically attached to every Mizar article. We give definitional axioms of the following concepts: element, subset, Cartesian product, domain (non empty subset), subdomain (non empty subset of a domain), set domain (domain consisting of sets). Axioms of strong arithmetics of real numbers are also included.

MML Identifier: `AXIOMS`.

WWW: `http://mizar.org/JFM/Addenda/axioms.html`

The articles [4], [3], [6], [1], [2], and [5] provide the notation and terminology for this paper.

We adopt the following rules: x, y, z are real numbers, k is a natural number, and i is an element of $\mathbb{N}$.

One can prove the following propositions:

(19)[1] There exists y such that $x+y=0$.

(20) If $x \neq 0$, then there exists y such that $x \cdot y = 1$.

(21) If $x \leq y$ and $y \leq x$, then $x = y$.

(22) If $x \leq y$ and $y \leq z$, then $x \leq z$.

(24)[2] If $x \leq y$, then $x+z \leq y+z$.

(25) If $x \leq y$ and $0 \leq z$, then $x \cdot z \leq y \cdot z$.

(26) Let X, Y be subsets of $\mathbb{R}$. Suppose that for all x, y such that $x \in X$ and $y \in Y$ holds $x \leq y$. Then there exists z such that for all x, y such that $x \in X$ and $y \in Y$ holds $x \leq z$ and $z \leq y$.

(28)[3] If $x \in \mathbb{N}$ and $y \in \mathbb{N}$, then $x+y \in \mathbb{N}$.

(29) For every subset A of $\mathbb{R}$ such that $0 \in A$ and for every x such that $x \in A$ holds $x+1 \in A$ holds $\mathbb{N} \subseteq A$.

(30) $k = \{i : i < k\}$.

[1] The propositions (1)–(18) have been removed.
[2] The proposition (23) has been removed.
[3] The proposition (27) has been removed.

REFERENCES

[1] Grzegorz Bancerek. The ordinal numbers. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/ordinal1.html`.

[2] Grzegorz Bancerek. Sequences of ordinal numbers. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/ordinal2.html`.

[3] Czesław Byliński. Some basic properties of sets. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/zfmisc_1.html`.

[4] Andrzej Trybulec. Tarski Grothendieck set theory. *Journal of Formalized Mathematics*, Axiomatics, 1989. `http://mizar.org/JFM/Axiomatics/tarski.html`.

[5] Andrzej Trybulec. Subsets of real numbers. *Journal of Formalized Mathematics*, Addenda, 2003. `http://mizar.org/JFM/Addenda/numbers.html`.

[6] Zinaida Trybulec. Properties of subsets. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/subset_1.html`.

Received January 1, 1989

Published January 2, 2004