JOURNAL OF FORMALIZED MATHEMATICS
Volume 3, Released 1991, Published 2003
Inst. of Computer Science, Univ. of Białystok

Shear Theorems and Their Role in Affine Geometry

Jolanta Świerzyńska
Warsaw University
Białystok

Bogdan Świerzyński
Warsaw University
Białystok

Summary. Investigations on affine shear theorems, major and minor, direct and indirect. We prove logical relationships which hold between these statements and between them and other classical affine configurational axioms (eg. minor and major Pappus Axiom, Desargues Axioms et al.). For the shear, Desargues, and Pappus Axioms formulated in terms of metric affine spaces we prove they are equivalent to corresponding statements formulated in terms of affine reduct of the given space.

MML Identifier: CONMETR1.

WWW: http://mizar.org/JFM/Vol3/conmetr1.html

The articles [8], [2], [4], [5], [1], [3], [6], and [7] provide the notation and terminology for this paper.

We use the following convention: X denotes an affine plane, o, a_1, a_2, a_3, a_4, b_1, b_2, b_3, b_4 denote elements of X, and M, N denote subsets of X.

Let us consider X. We say that X satisfies minor Scherungssatz if and only if the condition (Def. 1) is satisfied.

(Def. 1) Let given a_1, a_2, a_3, a_4, b_1, b_2, b_3, b_4, M, N. Suppose that $M \parallel N$ and $a_1 \in M$ and $a_3 \in M$ and $b_1 \in M$ and $b_3 \in M$ and $a_2 \in N$ and $a_4 \in N$ and $b_2 \in N$ and $b_4 \in N$ and $a_4 \notin M$ and $a_2 \notin M$ and $b_2 \notin M$ and $b_4 \notin M$ and $a_1 \notin N$ and $a_3 \notin N$ and $b_1 \notin N$ and $b_3 \notin N$ and $a_3, a_2 \upuparrows b_3, b_2$ and $a_2, a_1 \upuparrows b_2, b_1$ and $a_1, a_4 \upuparrows b_1, b_4$. Then $a_3, a_4 \upuparrows b_3, b_4$.

We introduce X satisfies minor Scherungssatz as a synonym of X satisfies minor Scherungssatz.

Let us consider X. We say that X satisfies major Scherungssatz if and only if the condition (Def. 2) is satisfied.

(Def. 2) Let given o, a_1, a_2, a_3, a_4, b_1, b_2, b_3, b_4, M, N. Suppose that M is a line and N is a line and $o \in M$ and $o \in N$ and $a_1 \in M$ and $a_3 \in M$ and $b_1 \in M$ and $b_3 \in M$ and $a_2 \in N$ and $a_4 \in N$ and $b_2 \in N$ and $b_4 \in N$ and $a_4 \notin M$ and $a_2 \notin M$ and $b_2 \notin M$ and $b_4 \notin M$ and $a_1 \notin N$ and $a_3 \notin N$ and $b_1 \notin N$ and $b_3 \notin N$ and $a_3, a_2 \upuparrows b_3, b_2$ and $a_2, a_1 \upuparrows b_2, b_1$ and $a_1, a_4 \upuparrows b_1, b_4$. Then $a_3, a_4 \upuparrows b_3, b_4$.

We introduce X satisfies major Scherungssatz as a synonym of X satisfies major Scherungssatz.

Let us consider X. We say that X satisfies Scherungssatz if and only if the condition (Def. 3) is satisfied.

(Def. 3) Let given a_1, a_2, a_3, a_4, b_1, b_2, b_3, b_4, M, N. Suppose that M is a line and N is a line and $a_1 \in M$ and $a_3 \in M$ and $b_1 \in M$ and $b_3 \in M$ and $a_2 \in N$ and $a_4 \in N$ and $b_2 \in N$ and $b_4 \in N$ and $a_4 \notin M$ and $a_2 \notin M$ and $b_2 \notin M$ and $b_4 \notin M$ and $a_1 \notin N$ and $a_3 \notin N$ and $b_1 \notin N$ and $b_3 \notin N$ and $a_3, a_2 \upuparrows b_3, b_2$ and $a_2, a_1 \upuparrows b_2, b_1$ and $a_1, a_4 \upuparrows b_1, b_4$. Then $a_3, a_4 \upuparrows b_3, b_4$.

We introduce X satisfies Scherungssatz as a synonym of X satisfies Scherungssatz.

Let us consider X. We say that X satisfies indirect Scherungssatz if and only if the condition (Def. 4) is satisfied.

(Def. 4) Let given a_1, a_2, a_3, a_4, b_1, b_2, b_3, b_4, M, N. Suppose that M is a line and N is a line and $a_1 \in M$ and $a_3 \in M$ and $b_2 \in M$ and $b_4 \in M$ and $a_2 \in N$ and $a_4 \in N$ and $b_1 \in N$ and $b_3 \in N$ and $a_4 \notin M$ and $a_2 \notin M$ and $b_1 \notin M$ and $b_3 \notin M$ and $a_1 \notin N$ and $a_3 \notin N$ and $b_2 \notin N$ and $b_4 \notin N$ and $a_3, a_2 \upuparrows b_3, b_2$ and $a_2, a_1 \upuparrows b_2, b_1$ and $a_1, a_4 \upuparrows b_1, b_4$. Then $a_3, a_4 \upuparrows b_3, b_4$.

We introduce X satisfies Scherungssatz * as a synonym of X satisfies indirect Scherungssatz.

Let us consider X. We say that X satisfies minor indirect Scherungssatz if and only if the condition (Def. 5) is satisfied.

(Def. 5) Let given a_1, a_2, a_3, a_4, b_1, b_2, b_3, b_4, M, N. Suppose that $M \parallel N$ and $a_1 \in M$ and $a_3 \in M$ and $b_2 \in M$ and $b_4 \in M$ and $a_2 \in N$ and $a_4 \in N$ and $b_1 \in N$ and $b_3 \in N$ and $a_4 \notin M$ and $a_2 \notin M$ and $b_1 \notin M$ and $b_3 \notin M$ and $a_1 \notin N$ and $a_3 \notin N$ and $b_2 \notin N$ and $b_4 \notin N$ and $a_3, a_2 \upuparrows b_3, b_2$ and $a_2, a_1 \upuparrows b_2, b_1$ and $a_1, a_4 \upuparrows b_1, b_4$. Then $a_3, a_4 \upuparrows b_3, b_4$.

We introduce X satisfies minor Scherungssatz * as a synonym of X satisfies minor indirect Scherungssatz.

Let us consider X. We say that X satisfies major indirect Scherungssatz if and only if the condition (Def. 6) is satisfied.

(Def. 6) Let given o, a_1, a_2, a_3, a_4, b_1, b_2, b_3, b_4, M, N. Suppose that M is a line and N is a line and $o \in M$ and $o \in N$ and $a_1 \in M$ and $a_3 \in M$ and $b_2 \in M$ and $b_4 \in M$ and $a_2 \in N$ and $a_4 \in N$ and $b_1 \in N$ and $b_3 \in N$ and $a_4 \notin M$ and $a_2 \notin M$ and $b_1 \notin M$ and $b_3 \notin M$ and $a_1 \notin N$ and $a_3 \notin N$ and $b_2 \notin N$ and $b_4 \notin N$ and $a_3, a_2 \upuparrows b_3, b_2$ and $a_2, a_1 \upuparrows b_2, b_1$ and $a_1, a_4 \upuparrows b_1, b_4$. Then $a_3, a_4 \upuparrows b_3, b_4$.

We introduce X satisfies major Scherungssatz * as a synonym of X satisfies major indirect Scherungssatz.

The following propositions are true:

(1) X satisfies Scherungssatz * if and only if X satisfies minor Scherungssatz * and X satisfies major Scherungssatz *.

(2) X satisfies Scherungssatz if and only if X satisfies minor Scherungssatz and X satisfies major Scherungssatz.

(3) If X satisfies minor Scherungssatz *, then X satisfies minor Scherungssatz.

(4) If X satisfies major Scherungssatz *, then X satisfies major Scherungssatz.

(5) If X satisfies Scherungssatz *, then X satisfies Scherungssatz.

(6) If X satisfies **des**, then X satisfies minor Scherungssatz.

(7) If X satisfies **DES**, then X satisfies major Scherungssatz.

(8) X satisfies **DES** iff X satisfies Scherungssatz.

(9) X satisfies **pap** iff X satisfies minor Scherungssatz *.

(10) X satisfies **PAP** iff X satisfies major Scherungssatz *.

(11) X satisfies **PPAP** iff X satisfies Scherungssatz *.

(12) If X satisfies major Scherungssatz *, then X satisfies minor Scherungssatz *.

In the sequel X denotes a metric affine plane.

The following propositions are true:

(13) The affine reduct of X satisfies Scherungssatz iff Scherungssatz holds in X.

(14) Trapezium variant of Desargues Axiom holds in X if and only if the affine reduct of X satisfies **TDES**.

(15) The affine reduct of X satisfies **des** iff minor Desargues Axiom holds in X.

(16) Pappos Axiom holds in X iff the affine reduct of X satisfies **PAP**.

(17) Desargues Axiom holds in X iff the affine reduct of X satisfies **DES**.

REFERENCES

[1] Henryk Oryszczyszyn and Krzysztof Prażmowski. Analytical metric affine spaces and planes. *Journal of Formalized Mathematics*, 2, 1990. `http://mizar.org/JFM/Vol2/analmetr.html`.

[2] Henryk Oryszczyszyn and Krzysztof Prażmowski. Analytical ordered affine spaces. *Journal of Formalized Mathematics*, 2, 1990. `http://mizar.org/JFM/Vol2/analoaf.html`.

[3] Henryk Oryszczyszyn and Krzysztof Prażmowski. Classical configurations in affine planes. *Journal of Formalized Mathematics*, 2, 1990. `http://mizar.org/JFM/Vol2/aff_2.html`.

[4] Henryk Oryszczyszyn and Krzysztof Prażmowski. Ordered affine spaces defined in terms of directed parallelity — part I. *Journal of Formalized Mathematics*, 2, 1990. `http://mizar.org/JFM/Vol2/diraf.html`.

[5] Henryk Oryszczyszyn and Krzysztof Prażmowski. Parallelity and lines in affine spaces. *Journal of Formalized Mathematics*, 2, 1990. `http://mizar.org/JFM/Vol2/aff_1.html`.

[6] Jolanta Świerzyńska and Bogdan Świerzyński. Metric-affine configurations in metric affine planes — part I. *Journal of Formalized Mathematics*, 2, 1990. `http://mizar.org/JFM/Vol2/conaffm.html`.

[7] Jolanta Świerzyńska and Bogdan Świerzyński. Metric-affine configurations in metric affine planes — part II. *Journal of Formalized Mathematics*, 2, 1990. `http://mizar.org/JFM/Vol2/conmetr.html`.

[8] Zinaida Trybulec. Properties of subsets. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/subset_1.html`.

Received April 19, 1991

Published January 2, 2004