JOURNAL OF FORMALIZED MATHEMATICS
Volume 13, Released 2001, Published 2003
Inst. of Computer Science, Univ. of Białystok

Some Remarks on Finite Sequences on Go-Boards[1]

Adam Naumowicz
University of Białystok

Summary. This paper shows some properties of finite sequences on Go-boards. It also provides the partial correspondence between two ways of decomposition of curves induced by cages.

MML Identifier: JORDAN1F.

WWW: http://mizar.org/JFM/Vol13/jordan1f.html

The articles [21], [1], [20], [24], [3], [4], [2], [23], [22], [12], [19], [8], [18], [9], [10], [11], [14], [16], [6], [17], [5], [7], [13], and [15] provide the notation and terminology for this paper.

We adopt the following rules: i, j, k, n are natural numbers, f is a finite sequence of elements of the carrier of $\mathcal{E}^2_{\mathrm{T}}$, and G is a Go-board.

One can prove the following propositions:

(1) Suppose that

(i) f is a sequence which elements belong to G,

(ii) $\mathcal{L}(G \circ (i, j), G \circ (i, k))$ meets $\widetilde{\mathcal{L}}(f)$,

(iii) $\langle i, j \rangle \in$ the indices of G,

(iv) $\langle i, k \rangle \in$ the indices of G, and

(v) $j \leq k$.

Then there exists n such that $j \leq n$ and $n \leq k$ and $(G \circ (i,n))_{\mathbf{2}} = \inf(\mathrm{proj2}^{\circ}(\mathcal{L}(G \circ (i, j), G \circ (i,k)) \cap \widetilde{\mathcal{L}}(f)))$.

(2) Suppose that

(i) f is a sequence which elements belong to G,

(ii) $\mathcal{L}(G \circ (i, j), G \circ (i, k))$ meets $\widetilde{\mathcal{L}}(f)$,

(iii) $\langle i, j \rangle \in$ the indices of G,

(iv) $\langle i, k \rangle \in$ the indices of G, and

(v) $j \leq k$.

Then there exists n such that $j \leq n$ and $n \leq k$ and $(G \circ (i,n))_{\mathbf{2}} = \sup(\mathrm{proj2}^{\circ}(\mathcal{L}(G \circ (i, j), G \circ (i,k)) \cap \widetilde{\mathcal{L}}(f)))$.

(3) Suppose that

(i) f is a sequence which elements belong to G,

(ii) $\mathcal{L}(G \circ (j, i), G \circ (k, i))$ meets $\widetilde{\mathcal{L}}(f)$,

(iii) $\langle j, i \rangle \in$ the indices of G,

[1]This work has been partially supported by CALCULEMUS grant HPRN-CT-2000-00102.

(iv) $\langle k, i\rangle \in$ the indices of G, and

(v) $j \leq k$.

Then there exists n such that $j \leq n$ and $n \leq k$ and $(G \circ (n,i))_{\mathbf{1}} = \inf(\mathrm{proj}1^{\circ}(\mathcal{L}(G \circ (j,i), G \circ (k,i)) \cap \widetilde{\mathcal{L}}(f)))$.

(4) Suppose that

(i) f is a sequence which elements belong to G,

(ii) $\mathcal{L}(G \circ (j,i), G \circ (k,i))$ meets $\widetilde{\mathcal{L}}(f)$,

(iii) $\langle j, i\rangle \in$ the indices of G,

(iv) $\langle k, i\rangle \in$ the indices of G, and

(v) $j \leq k$.

Then there exists n such that $j \leq n$ and $n \leq k$ and $(G \circ (n,i))_{\mathbf{1}} = \sup(\mathrm{proj}1^{\circ}(\mathcal{L}(G \circ (j,i), G \circ (k,i)) \cap \widetilde{\mathcal{L}}(f)))$.

(5) For every compact non vertical non horizontal subset C of $\mathcal{E}^2_{\mathrm{T}}$ and for every natural number n holds $(\mathrm{UpperSeq}(C,n))_1 = \mathrm{W_{min}}(\widetilde{\mathcal{L}}(\mathrm{Cage}(C,n)))$.

(6) For every compact non vertical non horizontal subset C of $\mathcal{E}^2_{\mathrm{T}}$ and for every natural number n holds $(\mathrm{LowerSeq}(C,n))_1 = \mathrm{E_{max}}(\widetilde{\mathcal{L}}(\mathrm{Cage}(C,n)))$.

(7) For every compact non vertical non horizontal subset C of $\mathcal{E}^2_{\mathrm{T}}$ and for every natural number n holds $(\mathrm{UpperSeq}(C,n))_{\mathrm{len\,UpperSeq}(C,n)} = \mathrm{E_{max}}(\widetilde{\mathcal{L}}(\mathrm{Cage}(C,n)))$.

(8) For every compact non vertical non horizontal subset C of $\mathcal{E}^2_{\mathrm{T}}$ and for every natural number n holds $(\mathrm{LowerSeq}(C,n))_{\mathrm{len\,LowerSeq}(C,n)} = \mathrm{W_{min}}(\widetilde{\mathcal{L}}(\mathrm{Cage}(C,n)))$.

(9) Let C be a compact non vertical non horizontal subset of $\mathcal{E}^2_{\mathrm{T}}$ and n be a natural number. Then $\widetilde{\mathcal{L}}(\mathrm{UpperSeq}(C,n)) = \mathrm{UpperArc}(\widetilde{\mathcal{L}}(\mathrm{Cage}(C,n)))$ and $\widetilde{\mathcal{L}}(\mathrm{LowerSeq}(C,n)) = \mathrm{LowerArc}(\widetilde{\mathcal{L}}(\mathrm{Cage}(C,n)))$ or $\widetilde{\mathcal{L}}(\mathrm{UpperSeq}(C,n)) = \mathrm{LowerArc}(\widetilde{\mathcal{L}}(\mathrm{Cage}(C,n)))$ and $\widetilde{\mathcal{L}}(\mathrm{LowerSeq}(C,n)) = \mathrm{UpperArc}(\widetilde{\mathcal{L}}(\mathrm{Cage}(C,n)))$.

We adopt the following convention: C is a compact non vertical non horizontal non empty subset of $\mathcal{E}^2_{\mathrm{T}}$ satisfying conditions of simple closed curve, p is a point of $\mathcal{E}^2_{\mathrm{T}}$, and i_1, j_1, i_2, j_2 are natural numbers.

One can prove the following four propositions:

(10) Let C be a connected compact non vertical non horizontal subset of $\mathcal{E}^2_{\mathrm{T}}$ and n be a natural number. Then $\mathrm{UpperSeq}(C,n)$ is a sequence which elements belong to $\mathrm{Gauge}(C,n)$.

(11) Let f be a finite sequence of elements of $\mathcal{E}^2_{\mathrm{T}}$. Suppose that

(i) f is a sequence which elements belong to G,

(ii) there exist i, j such that $\langle i, j\rangle \in$ the indices of G and $p = G \circ (i,j)$, and

(iii) for all i_1, j_1, i_2, j_2 such that $\langle i_1, j_1\rangle \in$ the indices of G and $\langle i_2, j_2\rangle \in$ the indices of G and $p = G \circ (i_1, j_1)$ and $f_1 = G \circ (i_2, j_2)$ holds $|i_2 - i_1| + |j_2 - j_1| = 1$.

Then $\langle p\rangle \frown f$ is a sequence which elements belong to G.

(12) Let C be a connected compact non vertical non horizontal subset of $\mathcal{E}^2_{\mathrm{T}}$ and n be a natural number. Then $\mathrm{LowerSeq}(C,n)$ is a sequence which elements belong to $\mathrm{Gauge}(C,n)$.

(13) Suppose $p_{\mathbf{1}} = \frac{\mathrm{W\text{-}bound}(C)+\mathrm{E\text{-}bound}(C)}{2}$ and $p_{\mathbf{2}} = \inf(\mathrm{proj}2^{\circ}(\mathcal{L}(\mathrm{Gauge}(C,1) \circ (\mathrm{Center\,Gauge}(C,1),1), \mathrm{Gauge}(C,1) \circ (\mathrm{Center\,Gauge}(C,1), \mathrm{width\,Gauge}(C,1))) \cap \mathrm{UpperArc}(\widetilde{\mathcal{L}}(\mathrm{Cage}(C,i+1)))))$. Then there exists j such that $1 \leq j$ and $j \leq \mathrm{width\,Gauge}(C,i+1)$ and $p = \mathrm{Gauge}(C,i+1) \circ (\mathrm{Center\,Gauge}(C,i+1), j)$.

REFERENCES

[1] Grzegorz Bancerek. The fundamental properties of natural numbers. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/nat_1.html.

[2] Grzegorz Bancerek and Krzysztof Hryniewiecki. Segments of natural numbers and finite sequences. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/finseq_1.html.

[3] Czesław Byliński. Functions and their basic properties. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/funct_1.html.

[4] Czesław Byliński. Functions from a set to a set. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/funct_2.html.

[5] Czesław Byliński. Gauges. *Journal of Formalized Mathematics*, 11, 1999. http://mizar.org/JFM/Vol11/jordan8.html.

[6] Czesław Byliński and Piotr Rudnicki. Bounding boxes for compact sets in $\mathcal{E}^2$. *Journal of Formalized Mathematics*, 9, 1997. http://mizar.org/JFM/Vol9/pscomp_1.html.

[7] Czesław Byliński and Mariusz Żynel. Cages - the external approximation of Jordan's curve. *Journal of Formalized Mathematics*, 11, 1999. http://mizar.org/JFM/Vol11/jordan9.html.

[8] Agata Darmochwał. Compact spaces. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/compts_1.html.

[9] Agata Darmochwał. The Euclidean space. *Journal of Formalized Mathematics*, 3, 1991. http://mizar.org/JFM/Vol3/euclid.html.

[10] Agata Darmochwał and Yatsuka Nakamura. The topological space $\mathcal{E}^2_\mathrm{T}$. Arcs, line segments and special polygonal arcs. *Journal of Formalized Mathematics*, 3, 1991. http://mizar.org/JFM/Vol3/topreal1.html.

[11] Agata Darmochwał and Yatsuka Nakamura. The topological space $\mathcal{E}^2_\mathrm{T}$. Simple closed curves. *Journal of Formalized Mathematics*, 3, 1991. http://mizar.org/JFM/Vol3/topreal2.html.

[12] Katarzyna Jankowska. Matrices. Abelian group of matrices. *Journal of Formalized Mathematics*, 3, 1991. http://mizar.org/JFM/Vol3/matrix_1.html.

[13] Artur Korniłowicz, Robert Milewski, Adam Naumowicz, and Andrzej Trybulec. Gauges and cages. Part I. *Journal of Formalized Mathematics*, 12, 2000. http://mizar.org/JFM/Vol12/jordan1a.html.

[14] Jarosław Kotowicz and Yatsuka Nakamura. Introduction to Go-Board — part I. *Journal of Formalized Mathematics*, 4, 1992. http://mizar.org/JFM/Vol4/goboard1.html.

[15] Robert Milewski. Upper and lower sequence of a cage. *Journal of Formalized Mathematics*, 13, 2001. http://mizar.org/JFM/Vol13/jordan1e.html.

[16] Yatsuka Nakamura and Czesław Byliński. Extremal properties of vertices on special polygons, part I. *Journal of Formalized Mathematics*, 6, 1994. http://mizar.org/JFM/Vol6/sppol_1.html.

[17] Yatsuka Nakamura and Andrzej Trybulec. A decomposition of simple closed curves and the order of their points. *Journal of Formalized Mathematics*, 9, 1997. http://mizar.org/JFM/Vol9/jordan6.html.

[18] Beata Padlewska. Connected spaces. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/connsp_1.html.

[19] Beata Padlewska and Agata Darmochwał. Topological spaces and continuous functions. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/pre_topc.html.

[20] Jan Popiołek. Some properties of functions modul and signum. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/absvalue.html.

[21] Andrzej Trybulec. Tarski Grothendieck set theory. *Journal of Formalized Mathematics*, Axiomatics, 1989. http://mizar.org/JFM/Axiomatics/tarski.html.

[22] Andrzej Trybulec. On the decomposition of finite sequences. *Journal of Formalized Mathematics*, 7, 1995. http://mizar.org/JFM/Vol7/finseq_6.html.

[23] Wojciech A. Trybulec. Pigeon hole principle. *Journal of Formalized Mathematics*, 2, 1990. http://mizar.org/JFM/Vol2/finseq_4.html.

[24] Edmund Woronowicz. Relations and their basic properties. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/relat_1.html.

Received August 29, 2001

Published January 2, 2004