JOURNAL OF FORMALIZED MATHEMATICS
Volume 2, Released 1990, Published 2003
Inst. of Computer Science, Univ. of Białystok

Classical and Non-classical Pasch Configurations in Ordered Affine Planes[1]

Henryk Oryszczyszyn
Warsaw University
Białystok

Krzysztof Prażmowski
Warsaw University
Białystok

Małgorzata Prażmowska
Warsaw University
Białystok

Summary. Several configuration axioms, which are commonly called in the literature "Pasch Axioms" are introduced; three of them were investigated by Szmielew and concern invariantability of the betweenness relation under parallel projections, and two other were introduced by Tarski. It is demonstrated that they all are consequences of the trapezium axiom, adopted to characterize ordered affine spaces.

MML Identifier: `PASCH`.

WWW: `http://mizar.org/JFM/Vol2/pasch.html`

The articles [1] and [2] provide the notation and terminology for this paper.

We adopt the following convention: O_1 denotes an ordered affine space and a, a', b, b', c, c', d, d_1, d_2, p, p', x, y denote elements of O_1.

Let us consider O_1. We say that O_1 satisfies inner invariancy of betweenness relation under parallel projections if and only if the condition (Def. 1) is satisfied.

(Def. 1) Let given a, b, c, d, p. Suppose not $\mathbf{L}(p,b,c)$ and p is a midpoint of b, a and $\mathbf{L}(p,c,d)$ and $b,c \parallel d,a$. Then p is a midpoint of c, d.

We introduce O_1 satisfies inner invariancy of betweenness relation under parallel projections as a synonym of O_1 satisfies inner invariancy of betweenness relation under parallel projections.

Let us consider O_1. We say that O_1 satisfies outer invariancy of betweenness relation under parallel projections if and only if the condition (Def. 2) is satisfied.

(Def. 2) Let given a, b, c, d, p. Suppose b is a midpoint of p, c and $\mathbf{L}(p,a,d)$ and $a,b \parallel c,d$ and not $\mathbf{L}(p,a,b)$. Then a is a midpoint of p, d.

We introduce O_1 satisfies outer invariancy of betweenness relation under parallel projections as a synonym of O_1 satisfies outer invariancy of betweenness relation under parallel projections.

Let us consider O_1. We say that O_1 satisfies general invariancy of betweenness relation under parallel projections if and only if the condition (Def. 3) is satisfied.

(Def. 3) Let given a, b, c, a', b', c'. Suppose not $\mathbf{L}(a,b,a')$ and $a,a' \parallel b,b'$ and $a,a' \parallel c,c'$ and b is a midpoint of a, c and $\mathbf{L}(a',b',c')$. Then b' is a midpoint of a', c'.

We introduce O_1 satisfies general invariancy of betweenness relation under parallel projections as a synonym of O_1 satisfies general invariancy of betweenness relation under parallel projections.

Let us consider O_1. We say that O_1 satisfies outer form of Pasch' Axiom if and only if the condition (Def. 4) is satisfied.

[1] Supported by RPBP.III-24.C2.

(Def. 4) Let given a, b, c, d, x, y. Suppose b is a midpoint of a, d and x is a midpoint of b, c and not $\mathbf{L}(a,b,c)$. Then there exists y such that y is a midpoint of a, c and x is a midpoint of y, d.

We introduce O_1 satisfies outer form of Pasch' Axiom as a synonym of O_1 satisfies outer form of Pasch' Axiom.

Let us consider O_1. We say that O_1 satisfies inner form of Pasch' Axiom if and only if the condition (Def. 5) is satisfied.

(Def. 5) Let given a, b, c, d, x, y. Suppose b is a midpoint of a, d and x is a midpoint of a, c and not $\mathbf{L}(a,b,c)$. Then there exists y such that y is a midpoint of b, c and y is a midpoint of x, d.

We introduce O_1 satisfies inner form of Pasch' Axiom as a synonym of O_1 satisfies inner form of Pasch' Axiom.

Let us consider O_1. We say that O_1 is Fanoian if and only if the condition (Def. 6) is satisfied.

(Def. 6) Let given a, b, c, d. Suppose $a,b \upuparrows c,d$ and $a,c \upuparrows b,d$ and not $\mathbf{L}(a,b,c)$. Then there exists x such that x is a midpoint of a, d and x is a midpoint of b, c.

We introduce O_1 satisfies Fano Axiom as a synonym of O_1 is Fanoian.

We now state a number of propositions:

(7)[1] If $b,p \upuparrows p,c$ and $p \neq c$ and $b \neq p$, then there exists d such that $a,p \upuparrows p,d$ and $a,b \parallel c,d$ and $c \neq d$ and $p \neq d$.

(8) If $p,b \upuparrows p,c$ and $p \neq c$ and $b \neq p$, then there exists d such that $p,a \upuparrows p,d$ and $a,b \parallel c,d$ and $c \neq d$.

(9) If $p,b \parallel p,c$ and $p \neq b$, then there exists d such that $p,a \parallel p,d$ and $a,b \parallel c,d$.

(11)[2] If not $\mathbf{L}(p,a,b)$ and $\mathbf{L}(p,b,c)$ and $\mathbf{L}(p,a,d_1)$ and $\mathbf{L}(p,a,d_2)$ and $a,b \parallel c,d_1$ and $a,b \parallel c,d_2$, then $d_1 = d_2$.

(12) If not $\mathbf{L}(a,b,c)$ and $a,b \parallel c,d_1$ and $a,b \parallel c,d_2$ and $a,c \parallel b,d_1$ and $a,c \parallel b,d_2$, then $d_1 = d_2$.

(13) If not $\mathbf{L}(p,b,c)$ and p is a midpoint of b, a and $\mathbf{L}(p,c,d)$ and $b,c \parallel d,a$, then p is a midpoint of c, d.

(14) O_1 satisfies inner invariancy of betweenness relation under parallel projections.

(15) If b is a midpoint of p, c and $\mathbf{L}(p,a,d)$ and $a,b \parallel c,d$ and not $\mathbf{L}(p,a,b)$, then a is a midpoint of p, d.

(16) O_1 satisfies outer invariancy of betweenness relation under parallel projections.

(17) If not $\mathbf{L}(a,b,a')$ and $a,a' \parallel b,b'$ and $a,a' \parallel c,c'$ and b is a midpoint of a, c and $\mathbf{L}(a',b',c')$, then b' is a midpoint of a', c'.

(18) O_1 satisfies general invariancy of betweenness relation under parallel projections.

(19) If not $\mathbf{L}(p,a,b)$ and $a,p \upuparrows p,a'$ and $b,p \upuparrows p,b'$ and $a,b \parallel a',b'$, then $a,b \upuparrows b',a'$.

(20) If not $\mathbf{L}(p,a,a')$ and $p,a \upuparrows p,b$ and $p,a' \upuparrows p,b'$ and $a,a' \parallel b,b'$, then $a,a' \upuparrows b,b'$.

(21) If not $\mathbf{L}(p,a,b)$ and $p,a \parallel b,c$ and $p,b \parallel a,c$, then $p,a \upuparrows b,c$ and $p,b \upuparrows a,c$.

(22) If c is a midpoint of p, b and $c,d \upuparrows b,a$ and $p,d \upuparrows p,a$ and not $\mathbf{L}(p,a,b)$ and $p \neq c$, then d is a midpoint of p, a.

(23) If d is a midpoint of p, a and $c,d \upuparrows b,a$ and $p,c \upuparrows p,b$ and not $\mathbf{L}(p,a,b)$ and $p \neq c$, then c is a midpoint of p, b.

---

[1] The propositions (1)–(6) have been removed.

[2] The proposition (10) has been removed.

(24) If not $\mathbf{L}(p,a,b)$ and $p,b \upuparrows p,c$ and $b,a \upuparrows c,d$ and $\mathbf{L}(a,p,d)$ and $p \neq d$, then p is not a midpoint of a, d.

(25) If $p,b \upuparrows p,c$ and $b \neq p$, then there exists x such that $p,a \upuparrows p,x$ and $b,a \upuparrows c,x$.

(26) If c is a midpoint of p, b, then there exists x such that x is a midpoint of p, a and $b,a \upuparrows c,x$.

(27) If $p \neq b$ and b is a midpoint of p, c, then there exists x such that a is a midpoint of p, x and $b,a \upuparrows c,x$.

(28) If not $\mathbf{L}(p,a,b)$ and c is a midpoint of p, b, then there exists x such that x is a midpoint of p, a and $a,b \upuparrows x,c$.

(29) There exists x such that $a,x \upuparrows b,c$ and $a,b \upuparrows x,c$.

(30) If $a,b \upuparrows c,d$ and not $\mathbf{L}(a,b,c)$, then there exists x such that x is a midpoint of a, d and x is a midpoint of b, c.

(32)[3] O_1 satisfies Fano Axiom.

(33) If $a,b \parallel c,d$ and $a,c \parallel b,d$ and not $\mathbf{L}(a,b,c)$, then there exists x such that $\mathbf{L}(x,a,d)$ and $\mathbf{L}(x,b,c)$.

(34) If $a,b \parallel c,d$ and $a,c \parallel b,d$ and not $\mathbf{L}(a,b,c)$ and $\mathbf{L}(p,a,d)$ and $\mathbf{L}(p,b,c)$, then not $\mathbf{L}(p,a,b)$.

(35) Suppose b is a midpoint of a, d and x is a midpoint of b, c and not $\mathbf{L}(a,b,c)$. Then there exists y such that y is a midpoint of a, c and x is a midpoint of y, d.

(36) O_1 satisfies outer form of Pasch' Axiom.

(37) Suppose b is a midpoint of a, d and x is a midpoint of a, c and not $\mathbf{L}(a,b,c)$. Then there exists y such that y is a midpoint of b, c and y is a midpoint of x, d.

(38) O_1 satisfies inner form of Pasch' Axiom.

(39) Suppose a is a midpoint of p, b and $p,a \upuparrows p',a'$ and not $\mathbf{L}(p,a,p')$ and $\mathbf{L}(p',a',b')$ and $p,p' \upuparrows a,a'$ and $p,p' \upuparrows b,b'$. Then a' is a midpoint of p', b'.

References

[1] Henryk Oryszczyszyn and Krzysztof Prażmowski. Analytical ordered affine spaces. *Journal of Formalized Mathematics*, 2, 1990. `http://mizar.org/JFM/Vol2/analoaf.html`.

[2] Henryk Oryszczyszyn and Krzysztof Prażmowski. Ordered affine spaces defined in terms of directed parallelity — part I. *Journal of Formalized Mathematics*, 2, 1990. `http://mizar.org/JFM/Vol2/diraf.html`.

Received May 16, 1990

Published January 2, 2004

[3] The proposition (31) has been removed.