JOURNAL OF FORMALIZED MATHEMATICS
Volume 2, Released 1990, Published 2003
Inst. of Computer Science, Univ. of Białystok

Basis of Vector Space

Wojciech A. Trybulec
Warsaw University

Summary. We prove the existence of a basis of a vector space, i.e., a set of vectors that generates the vector space and is linearly independent. We also introduce the notion of a subspace generated by a set of vectors and linear independence of set of vectors.

MML Identifier: VECTSP_7.

WWW: http://mizar.org/JFM/Vol2/vectsp_7.html

The articles [7], [4], [14], [15], [2], [3], [8], [5], [1], [9], [6], [10], [13], [12], and [11] provide the notation and terminology for this paper.

For simplicity, we use the following convention: x is a set, G_1 is a field, a, b are elements of G_1, V is a vector space over G_1, v, v_1, v_2 are vectors of V, A, B are subsets of V, and l is a linear combination of A.

Let us consider G_1, let us consider V, and let I_1 be a subset of V. We say that I_1 is linearly independent if and only if:

(Def. 1) For every linear combination l of I_1 such that $\sum l = 0_V$ holds the support of $l = \emptyset$.

We introduce I_1 is linearly dependent as an antonym of I_1 is linearly independent.

The following propositions are true:

(2)[1] If $A \subseteq B$ and B is linearly independent, then A is linearly independent.

(3) If A is linearly independent, then $0_V \notin A$.

(4) $\emptyset_{\text{the carrier of } V}$ is linearly independent.

(5) $\{v\}$ is linearly independent iff $v \neq 0_V$.

(6) If $\{v_1, v_2\}$ is linearly independent, then $v_1 \neq 0_V$ and $v_2 \neq 0_V$.

(7) $\{v, 0_V\}$ is linearly dependent and $\{0_V, v\}$ is linearly dependent.

(8) $v_1 \neq v_2$ and $\{v_1, v_2\}$ is linearly independent iff $v_2 \neq 0_V$ and for every a holds $v_1 \neq a \cdot v_2$.

(9) $v_1 \neq v_2$ and $\{v_1, v_2\}$ is linearly independent iff for all a, b such that $a \cdot v_1 + b \cdot v_2 = 0_V$ holds $a = 0_{(G_1)}$ and $b = 0_{(G_1)}$.

Let us consider G_1, let us consider V, and let us consider A. The functor $\mathrm{Lin}(A)$ yields a strict subspace of V and is defined as follows:

(Def. 2) The carrier of $\mathrm{Lin}(A) = \{\sum l\}$.

The following propositions are true:

[1] The proposition (1) has been removed.

© Association of Mizar Users

(12)[2] $x \in \mathrm{Lin}(A)$ iff there exists l such that $x = \sum l$.

(13) If $x \in A$, then $x \in \mathrm{Lin}(A)$.

(14) $\mathrm{Lin}(\emptyset_{\text{the carrier of } V}) = \mathbf{0}_V$.

(15) If $\mathrm{Lin}(A) = \mathbf{0}_V$, then $A = \emptyset$ or $A = \{0_V\}$.

(16) For every strict subspace W of V such that $A =$ the carrier of W holds $\mathrm{Lin}(A) = W$.

(17) For every strict vector space V over G_1 and for every subset A of V such that $A =$ the carrier of V holds $\mathrm{Lin}(A) = V$.

(18) If $A \subseteq B$, then $\mathrm{Lin}(A)$ is a subspace of $\mathrm{Lin}(B)$.

(19) For every strict vector space V over G_1 and for all subsets A, B of V such that $\mathrm{Lin}(A) = V$ and $A \subseteq B$ holds $\mathrm{Lin}(B) = V$.

(20) $\mathrm{Lin}(A \cup B) = \mathrm{Lin}(A) + \mathrm{Lin}(B)$.

(21) $\mathrm{Lin}(A \cap B)$ is a subspace of $\mathrm{Lin}(A) \cap \mathrm{Lin}(B)$.

(22) Let V be a vector space over G_1 and A be a subset of V. Suppose A is linearly independent. Then there exists a subset B of V such that $A \subseteq B$ and B is linearly independent and $\mathrm{Lin}(B) =$ the vector space structure of V.

(23) If $\mathrm{Lin}(A) = V$, then there exists B such that $B \subseteq A$ and B is linearly independent and $\mathrm{Lin}(B) = V$.

Let us consider G_1 and let V be a vector space over G_1. A subset of V is called a basis of V if:

(Def. 3) It is linearly independent and $\mathrm{Lin}(\mathrm{it}) =$ the vector space structure of V.

Next we state two propositions:

(27)[3] Let V be a vector space over G_1 and A be a subset of V. If A is linearly independent, then there exists a basis I of V such that $A \subseteq I$.

(28) For every vector space V over G_1 and for every subset A of V such that $\mathrm{Lin}(A) = V$ there exists a basis I of V such that $I \subseteq A$.

REFERENCES

[1] Grzegorz Bancerek. The ordinal numbers. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/ordinal1.html.

[2] Czesław Byliński. Functions and their basic properties. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/funct_1.html.

[3] Czesław Byliński. Functions from a set to a set. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/funct_2.html.

[4] Czesław Byliński. Some basic properties of sets. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/zfmisc_1.html.

[5] Agata Darmochwał. Finite sets. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/finset_1.html.

[6] Eugeniusz Kusak, Wojciech Leończuk, and Michał Muzalewski. Abelian groups, fields and vector spaces. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/vectsp_1.html.

[7] Andrzej Trybulec. Tarski Grothendieck set theory. *Journal of Formalized Mathematics*, Axiomatics, 1989. http://mizar.org/JFM/Axiomatics/tarski.html.

[8] Andrzej Trybulec. Function domains and Frænkel operator. *Journal of Formalized Mathematics*, 2, 1990. http://mizar.org/JFM/Vol2/fraenkel.html.

[2] The propositions (10) and (11) have been removed.

[3] The propositions (24)–(26) have been removed.

[9] Wojciech A. Trybulec. Vectors in real linear space. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/rlvect_1.html.

[10] Wojciech A. Trybulec. Linear combinations in real linear space. *Journal of Formalized Mathematics*, 2, 1990. http://mizar.org/JFM/Vol2/rlvect_2.html.

[11] Wojciech A. Trybulec. Linear combinations in vector space. *Journal of Formalized Mathematics*, 2, 1990. http://mizar.org/JFM/Vol2/vectsp_6.html.

[12] Wojciech A. Trybulec. Operations on subspaces in vector space. *Journal of Formalized Mathematics*, 2, 1990. http://mizar.org/JFM/Vol2/vectsp_5.html.

[13] Wojciech A. Trybulec. Subspaces and cosets of subspaces in vector space. *Journal of Formalized Mathematics*, 2, 1990. http://mizar.org/JFM/Vol2/vectsp_4.html.

[14] Zinaida Trybulec. Properties of subsets. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/subset_1.html.

[15] Edmund Woronowicz. Relations and their basic properties. *Journal of Formalized Mathematics*, 1, 1989. http://mizar.org/JFM/Vol1/relat_1.html.

Received July 27, 1990

Published January 2, 2004