JOURNAL OF FORMALIZED MATHEMATICS
Volume 10, Released 1998, Published 2003
Inst. of Computer Science, Univ. of Białystok

Representation Theorem for Free Continuous Lattices

Piotr Rudnicki
University of Alberta
Edmonton

Summary. We present the Mizar formalization of theorem 4.17, Chapter I from [13]: a free continuous lattice with m generators is isomorphic to the lattice of filters of 2^X ($\overline{\overline{X}} = m$) which is freely generated by $\{\uparrow x : x \in X\}$ (the set of ultrafilters).

MML Identifier: WAYBEL22.

WWW: http://mizar.org/JFM/Vol10/waybel22.html

The articles [20], [10], [25], [18], [26], [8], [9], [3], [12], [16], [1], [2], [19], [24], [4], [22], [23], [17], [21], [5], [14], [27], [6], [11], [7], and [15] provide the notation and terminology for this paper.

1. Preliminaries

One can prove the following propositions:

(1) For every upper-bounded semilattice L and for every non empty directed subset F of $\langle \mathrm{Filt}(L), \subseteq \rangle$ holds $\sup F = \bigcup F$.

(2) Let L, S, T be complete non empty posets, f be a CLHomomorphism of L, S, and g be a CLHomomorphism of S, T. Then $g \cdot f$ is a CLHomomorphism of L, T.

(3) For every non empty relational structure L holds id_L is infs-preserving.

(4) For every non empty relational structure L holds id_L is directed-sups-preserving.

(5) For every complete non empty poset L holds id_L is a CLHomomorphism of L, L.

(6) For every upper-bounded non empty poset L with g.l.b.'s holds $\langle \mathrm{Filt}(L), \subseteq \rangle$ is a continuous subframe of $2_{\subseteq}^{\text{the carrier of } L}$.

Let L be an upper-bounded non empty poset with g.l.b.'s. Observe that $\langle \mathrm{Filt}(L), \subseteq \rangle$ is continuous.

Let L be an upper-bounded non empty poset. One can check that every element of $\langle \mathrm{Filt}(L), \subseteq \rangle$ is non empty.

2. Free Generators of Continuous Lattices

Let S be a continuous complete non empty poset and let A be a set. We say that A is a set of free generators of S if and only if the condition (Def. 1) is satisfied.

(Def. 1) Let T be a continuous complete non empty poset and f be a function from A into the carrier of T. Then there exists a CLHomomorphism h of S, T such that $h{\restriction}A = f$ and for every CLHomomorphism h' of S, T such that $h'{\restriction}A = f$ holds $h' = h$.

The following propositions are true:

(7) Let S be a continuous complete non empty poset and A be a set. If A is a set of free generators of S, then A is a subset of S.

(8) Let S be a continuous complete non empty poset and A be a set. Suppose A is a set of free generators of S. Let h' be a CLHomomorphism of S, S. If $h'{\restriction}A = \mathrm{id}_A$, then $h' = \mathrm{id}_S$.

3. Representation Theorem for Free Continuous Lattices

In the sequel X denotes a set, F denotes a filter of $2^X_\subseteq$, x denotes an element of $2^X_\subseteq$, and z denotes an element of X.

Let us consider X. The fixed ultrafilters of X is a family of subsets of $2^X_\subseteq$ and is defined as follows:

(Def. 2) The fixed ultrafilters of $X = \{\uparrow x : \bigvee_z\ x = \{z\}\}$.

Next we state three propositions:

(9) The fixed ultrafilters of $X \subseteq \mathrm{Filt}(2^X_\subseteq)$.

(10) $\overline{\overline{\text{the fixed ultrafilters of } X}} = \overline{\overline{X}}$.

(11) $F = \bigsqcup_{(\langle \mathrm{Filt}(2^X_\subseteq), \subseteq\rangle)} \{\bigsqcap_{(\langle \mathrm{Filt}(2^X_\subseteq), \subseteq\rangle)} \{\uparrow x : \bigvee_z\ (x = \{z\} \wedge z \in Y)\}; Y$ ranges over subsets of X: $Y \in F\}$.

Let us consider X, let L be a continuous complete non empty poset, and let f be a function from the fixed ultrafilters of X into the carrier of L. The extension of f to homomorphism is a map from $\langle \mathrm{Filt}(2^X_\subseteq), \subseteq\rangle$ into L and is defined by the condition (Def. 3).

(Def. 3) Let F_1 be an element of $\langle \mathrm{Filt}(2^X_\subseteq), \subseteq\rangle$. Then (the extension of f to homomorphism)$(F_1) = \bigsqcup_L \{\bigsqcap_L \{f(\uparrow x) : \bigvee_z\ (x = \{z\} \wedge z \in Y)\}; Y$ ranges over subsets of X: $Y \in F_1\}$.

We now state two propositions:

(12) Let L be a continuous complete non empty poset and f be a function from the fixed ultrafilters of X into the carrier of L. Then the extension of f to homomorphism is monotone.

(13) Let L be a continuous complete non empty poset and f be a function from the fixed ultrafilters of X into the carrier of L. Then (the extension of f to homomorphism)$(\top_{\langle \mathrm{Filt}(2^X_\subseteq), \subseteq\rangle}) = \top_L$.

Let us consider X, let L be a continuous complete non empty poset, and let f be a function from the fixed ultrafilters of X into the carrier of L. One can verify that the extension of f to homomorphism is directed-sups-preserving.

Let us consider X, let L be a continuous complete non empty poset, and let f be a function from the fixed ultrafilters of X into the carrier of L. One can check that the extension of f to homomorphism is infs-preserving.

We now state several propositions:

(14) Let L be a continuous complete non empty poset and f be a function from the fixed ultrafilters of X into the carrier of L. Then (the extension of f to homomorphism)${\restriction}$(the fixed ultrafilters of X) $= f$.

(15) Let L be a continuous complete non empty poset, f be a function from the fixed ultrafilters of X into the carrier of L, and h be a CLHomomorphism of $\langle \mathrm{Filt}(2^X_\subseteq), \subseteq\rangle$, L. Suppose $h{\restriction}$the fixed ultrafilters of $X = f$. Then $h =$ the extension of f to homomorphism.

(16) The fixed ultrafilters of X is a set of free generators of $\langle \mathrm{Filt}(2^X_\subseteq), \subseteq \rangle$.

(17) Let L, M be continuous complete lattices and F, G be sets. Suppose F is a set of free generators of L and G is a set of free generators of M and $\overline{\overline{F}} = \overline{\overline{G}}$. Then L and M are isomorphic.

(18) Let L be a continuous complete lattice and G be a set. Suppose G is a set of free generators of L and $\overline{\overline{G}} = \overline{\overline{X}}$. Then L and $\langle \mathrm{Filt}(2^X_\subseteq), \subseteq \rangle$ are isomorphic.

REFERENCES

[1] Grzegorz Bancerek. Cardinal numbers. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/card_1.html`.

[2] Grzegorz Bancerek. König's theorem. *Journal of Formalized Mathematics*, 2, 1990. `http://mizar.org/JFM/Vol2/card_3.html`.

[3] Grzegorz Bancerek. Cartesian product of functions. *Journal of Formalized Mathematics*, 3, 1991. `http://mizar.org/JFM/Vol3/funct_6.html`.

[4] Grzegorz Bancerek. Complete lattices. *Journal of Formalized Mathematics*, 4, 1992. `http://mizar.org/JFM/Vol4/lattice3.html`.

[5] Grzegorz Bancerek. Bounds in posets and relational substructures. *Journal of Formalized Mathematics*, 8, 1996. `http://mizar.org/JFM/Vol8/yellow_0.html`.

[6] Grzegorz Bancerek. Directed sets, nets, ideals, filters, and maps. *Journal of Formalized Mathematics*, 8, 1996. `http://mizar.org/JFM/Vol8/waybel_0.html`.

[7] Grzegorz Bancerek. The "way-below" relation. *Journal of Formalized Mathematics*, 8, 1996. `http://mizar.org/JFM/Vol8/waybel_3.html`.

[8] Czesław Byliński. Functions and their basic properties. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/funct_1.html`.

[9] Czesław Byliński. Functions from a set to a set. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/funct_2.html`.

[10] Czesław Byliński. Some basic properties of sets. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/zfmisc_1.html`.

[11] Czesław Byliński. Galois connections. *Journal of Formalized Mathematics*, 8, 1996. `http://mizar.org/JFM/Vol8/waybel_1.html`.

[12] Mariusz Giero. More on products of many sorted algebras. *Journal of Formalized Mathematics*, 8, 1996. `http://mizar.org/JFM/Vol8/pralg_3.html`.

[13] G. Gierz, K.H. Hofmann, K. Keimel, J.D. Lawson, M. Mislove, and D.S. Scott. *A Compendium of Continuous Lattices*. Springer-Verlag, Berlin, Heidelberg, New York, 1980.

[14] Adam Grabowski and Robert Milewski. Boolean posets, posets under inclusion and products of relational structures. *Journal of Formalized Mathematics*, 8, 1996. `http://mizar.org/JFM/Vol8/yellow_1.html`.

[15] Robert Milewski. Completely-irreducible elements. *Journal of Formalized Mathematics*, 10, 1998. `http://mizar.org/JFM/Vol10/waybel16.html`.

[16] Michał Muzalewski. Categories of groups. *Journal of Formalized Mathematics*, 3, 1991. `http://mizar.org/JFM/Vol3/grcat_1.html`.

[17] Yatsuka Nakamura and Andrzej Trybulec. A mathematical model of CPU. *Journal of Formalized Mathematics*, 4, 1992. `http://mizar.org/JFM/Vol4/ami_1.html`.

[18] Beata Padlewska. Families of sets. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/setfam_1.html`.

[19] Beata Padlewska and Agata Darmochwał. Topological spaces and continuous functions. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/pre_topc.html`.

[20] Andrzej Trybulec. Tarski Grothendieck set theory. *Journal of Formalized Mathematics*, Axiomatics, 1989. `http://mizar.org/JFM/Axiomatics/tarski.html`.

[21] Andrzej Trybulec. Function domains and Frænkel operator. *Journal of Formalized Mathematics*, 2, 1990. `http://mizar.org/JFM/Vol2/fraenkel.html`.

[22] Andrzej Trybulec. Many-sorted sets. *Journal of Formalized Mathematics*, 5, 1993. `http://mizar.org/JFM/Vol5/pboole.html`.

[23] Andrzej Trybulec. Many sorted algebras. *Journal of Formalized Mathematics*, 6, 1994. `http://mizar.org/JFM/Vol6/msualg_1.html`.

[24] Wojciech A. Trybulec. Partially ordered sets. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/orders_1.html`.

[25] Zinaida Trybulec. Properties of subsets. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/subset_1.html`.

[26] Edmund Woronowicz. Relations and their basic properties. *Journal of Formalized Mathematics*, 1, 1989. `http://mizar.org/JFM/Vol1/relat_1.html`.

[27] Mariusz Żynel and Czesław Byliński. Properties of relational structures, posets, lattices and maps. *Journal of Formalized Mathematics*, 8, 1996. http://mizar.org/JFM/Vol8/yellow_2.html.

Received July 21, 1998

Published January 2, 2004